

SPECIFICATION FOR APPROVAL

客戶名稱 :  
 CUSTOMER'S NAME :                                 ATD                                  
 客戶機型 :  
 CUSTOMER'S MODEL NO. :   NIL    
 客戶料號 :  
 CUSTOMER'S PART NO. :   DR2W6X8 680UH    
 類別 :  
 DESCRIPTION :   CHOKE    
 料號 :  
 PART NO. :   180608-681K    
 版本 :  
 VERSION :   A    
 样品数量:  
 Sample Qty.:   10PCS    
 日期 :  
 DATE :   2016.09.26  

客戶承認結果:  
 CUSTOMER'S APPROVED:

意見 APPROVED	簽核 SIGNATURE

Prepared By	Checked By	Approved By
Zhang	Vincent	Yang

## Revision Record

Version	Revision date	Revision for items	Reason For Revision
A	2016.09.26	ORIG	


PART NO.:	180608-681K	CUSTOMER'S MODEL NO.:	NIL
VERSION :	A	CUSTOMER'S PART NO.:	DR2W6X8 680UH
DATE :	2016.09.26		

# 制品规格书

## Product Specification

1. 外形尺寸 (单位:mm)  
Physical Dimensions UNIT = mm

	DIM	TOL
A	8.00	MAX.
B	10.00	MAX.
C	10.00	MIN.
D	15.00	MIN.
E	3.00	REF.
F	0.60	±0.1



REMARK: RED TUBE

### 2. 电气特性

#### Electrical Characteristics

### 3. 绕线方法

#### WINDING METHOD

NO.	TEST ITEM	LIMIT	TEST CONDITION	TEST INSTRUMENT	绕组	圈数(Ts)	规格 SPEC.	胶带 TAPE	备注 REMARK
1	L(uH)	680 ±10%	1KHZ, 0.3V	VR116	N	160 REF	2UEW Φ0.19*1P		
2	DCR(Ω)	1.8 MAX.	20℃	CH502B					

### 4. 材料表

#### Bill of Material

No.	Item	Material name	Manufacturer	UL NO.	RoHS
1	WIRE	2UEW 130℃	HENG YA OR EQUIVALANT	E354216	YES
2	CORE	DR2W6*8	JC OR EQUIV.		YES
3	TUBE	UL 125℃	QUAN TAI OR EQUIVALANT	E227336	YES
4	SOLDER	PURE	GOODWAY OR EQUIVALANT		YES
料号: PART NO.:		180608-681K	客户机型: CUSTOMER'S MODEL NO.:		NIL
版本/VERSION :		A	客户料号: CUSTOMER'S PART NO. :		DR2W6X8 680UH
日期/DATE :		2016.09.26			

测试记录表  
TEST REPORT

日期:DATE: 2016.09.26

客户 CUSTOMER:	ATD			料号 P/N:	180608-681K					
客户料号 CUST. P/N:	DR2W6X8 680UH			版本/Version :	A					
测试设备 Test instrument	VR116 CH502B CC2670A			测试条件 Test condition	1KHZ 0.3V					
测试项目: Test item:	L1/L2		DCR1/DCR2		A	B	C	D	E	
单位: Unit	uH		$\Omega$		mm	mm	mm	mm	mm	
规格: SPEC.	680 $\pm$ 10%		2 MAX.							
1	642.000		1.370							
2	664.000		1.380							
3	666.000		1.370							
4	662.000		1.400							
5	645.000		1.410							
6										
7										
8										
9										
10										
MIN.	642.000		1.370							
MAX.	666.000		1.410							
R	24.000		0.040							
AVG.	655.800		1.386							
RESULT	PASS		PASS	PASS						

TESTER: ZHANG N CHECK: VINCENT